

=> fil casreact

FILE 'CASREACT' ENTERED AT 16:10:58 ON 07 JUN 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 2 Jun 2007 VOL 146 ISS 24

New CAS Information Use Policies, enter HELP USAGETERMS for details.



```
*****
*
*   CASREACT now has more than 12 million reactions
*
*****
```

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d que 19

L6 STR



NODE ATTRIBUTES:

CONNECT IS E1 RC AT 1
CONNECT IS E3 RC AT 4
CONNECT IS E1 RC AT 8
CONNECT IS E4 RC AT 9
DEFAULT MLEVEL IS ATOM
GGCAT IS UNS AT 1
GGCAT IS UNS AT 8
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE

L8 2 SEA FILE=CASREACT SSS FUL L6 (3 REACTIONS)
L9 2 SEA FILE=CASREACT ABB=ON PLU=ON L8/COM

=> d 19 ibib abs crd tot

L9 ANSWER 1 OF 2 CASREACT COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 108:37955 CASREACT Full-text

TITLE: Bis(benzoyloxy)phosphine oxide from oxidation of bis(benzoyloxy)phosphines with molecular oxygen

AUTHOR(S): Hennig, Heinz Werner; Neu, Peter; Sartori, Peter

CORPORATE SOURCE: Fachgebiet Anorg. Chem., Univ. Duisburg, Duisburg, D-4100/1, Fed. Rep. Ger.

SOURCE: Chemiker-Zeitung (1987), 111(2), 61-3


CODEN: CMKZAT; ISSN: 0009-2894

DOCUMENT TYPE: Journal


LANGUAGE: German

AB Dibenzoxyloxy Me phosphine oxide (I) and dibenzoyloxy Ph phosphine oxide (II) were prepared by oxidation of dibenzoyloxy Me phosphine (III) and dibenzoyloxy Ph phosphine (IV) with mol. O (1H-, 31P{1H}-, 13C{1H}-NMR- and IR-data are given. The occurrence of tervalent P in III and IV is clearly demonstrated by preparation of I and II by oxidation of III and IV with mol. O as well as by their 13C-NMR spectra.

RX(1) OF 2



RX(2) OF 2

ACCESSION NUMBER: 95:115668 CASREACT Full-text

TITLE: Synthesis and stabilization of (benzoyl- and pentafluorobenzoyloxy)diphenylphosphine and comparison with the corresponding isomeric aryldiphenylphosphine oxides

AUTHOR(S): Lindner, Ekkehard; Wuhrmann, Juan Carlos

CORPORATE SOURCE: Inst. Anorg. Chem., Univ. Tuebingen, Tuebingen, D-7400/1, Fed. Rep. Ger.

SOURCE: Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie (1981), 36B(3), 297-300

CODEN: ZNBAD2; ISSN: 0340-5087

DOCUMENT TYPE: Journal

LANGUAGE: German

AB (Benzoyloxy)- and (pentafluorobenzoyloxy)diphenylphosphines RCO₂PPh₂ (I; R = Ph, C₆F₅) can be obtained by reaction of ClPPh₂ with BzONa and AgO₂CC₆F₅, resp. Oxidation of I (R = Ph) with mol. O yields PhCO₂PCO(Ph). The complexes (OC)₅CrPPh₂O₂CR are formed by the action of BzONa and AgO₂CC₆F₅, resp. on (OC)₅CrPPh₂Cl. The chemical and spectroscopic properties of I are compared with the corresponding aryldiphenylphosphine oxides.

RX(1) OF 1

